




# BD 50/70 R Classic Bp Pack

Easy to operate, manoeuvrable, battery-operated BD 50/70 R Bp Pack Classic ride-on scrubber drier with disc brush. Batteries and a suitable battery charger are included.






Picks up dry dirt, thus supporting the cleaning process.

Helps to prevent blockages in the suction channel.

- Time saving: Can be fully charged in two hours, depending on the battery charger. Can also be topped up between full charges.
- Lifetime is several times longer than lead acid batteries or gel batteries.

# **TECHNICAL DATA AND EQUIPMENT**

#### KARCHER



#### BD 50/70 R Classic Bp Pack

- Compact slim design and extremely manoeuvrable
- Extremely easy and intuitive operation
- Powerful battery and charger included in the scope of deliv
  - ery

| Technical data               |            |                   |
|------------------------------|------------|-------------------|
| Order no.                    |            | 1.161-071.0       |
| EAN code                     |            | 4054278239866     |
| Fresh/dirty water tank       | 1          | 70 / 75           |
| Theoretical area performance | m²/h       | 2805              |
| Brush speed                  | rpm        | 180               |
| Brush contact pressure       | g/cm² / kg | 13 / 20           |
| Battery voltage              | V          | 24                |
| Battery capacity             | Ah         | 105               |
| Rated input power / Amps     | W          | 1400              |
| Weight (with accessories)    | kg         | 200               |
| Dimensions (L × W × H)       | mm         | 1310 × 590 × 1060 |
|                              |            |                   |

#### Equipment

| Disc brush                           |   |
|--------------------------------------|---|
| Powerful traction drive              |   |
| Battery and battery charger included |   |
| Battery                              |   |
| Automatic water stop                 |   |
| Dose                                 | - |
| Solenoid valve                       |   |
| Squeegee, v-shaped                   |   |
| 2-tank system                        |   |
| Included in the scope of supply.     |   |
|                                      |   |



|              |   | Order no.   | Hardness /<br>Brush type | Diameter | Colour  | Quanti-<br>ty | Price | Description  |
|--------------|---|-------------|--------------------------|----------|---------|---------------|-------|--|
| Disc brushes |   |             |                          |          |         |               |       |  |
| Disc brush   | 1 | 4.905-026.0 | medium                   | 510 mm   | red     | 1<br>piece(s) |       | Disc brush, medium-hard, red, 510 mm diameter. For normal use. Also suitable for sensitive floors. Bristles: Polypropylene, 0.6 mm thick, 40 mm long.              |
|              | 2 | 4.905-028.0 | very soft                | 510 mm   | White   | 1<br>piece(s) |       | Very soft disc brush (510 mm) in white version. For cleaning sensitive floors and polishing. Nylon Polish bristles.  |
|              | 3 | 4.905-027.0 | soft                     | 510 mm   | natural | 1<br>piece(s) |       | Soft disc brush (natural, 510 mm) for cleaning and polishing.<br>Bristles: Union Burnish Mixture; 0.6 mm thick, 41 mm long.  |
|              | 4 | 4.905-029.0 | hard                     | 510 mm   | black   | 1<br>piece(s) |       | Disc brush, hard, black, 510 mm diameter. For stubborn dirt<br>and basic cleaning. Only for insenstive floors. Bristles: Grit<br>Tynex 180, 1mm thick, 41 mm long. |



|                           |   | Order no.   | Quantity   | Battery volt-<br>age | Battery<br>capaci-<br>ty | Battery<br>type           | Price | Description  |
|---------------------------|---|-------------|------------|----------------------|--------------------------|---------------------------|-------|--|
| Batteries                 |   |             |            |                      |                          |                           |       |  |
| Battery kit               | 1 | 2.815-091.0 | 2 -part    | 24 V                 | 115 Ah                   | Mainte-<br>nance-<br>free |       | Battery kit with 24 V voltage and 115 Ah (C5) capacity.<br>Comprising several maintenance-free single AGM batteries.             |
| Battery Chargers          |   |             |            |                      |                          |                           |       |  |
| Battery charger           | 2 | 6.654-367.0 | 1 piece(s) | 24 V                 |                          | separate                  |       | Battery charger (24 V). Specially developed for charging<br>maintenance-free batteries with a capacity between 70 and<br>115 Ah. |
| Accessories for batteries |   |             |            | ÷                    |                          |                           |       |  |
| Battery mounting kit      | 3 | 2.638-152.0 | 3 -part    |                      |                          |                           |       | Installation kit for installing battery kit in a machine. Incl.<br>connection cable and 2 brackets.                              |
| Adapter cable             | 4 | 4.035-264.0 | 1 piece(s) |                      |                          |                           |       | Adapter cable for connecting to the battery charger 6.654-<br>329.0.   |



|                        |    | Order no.   | Hardness /<br>Brush type | Diameter | Colour             | Quanti-<br>ty | Price | Description   |   |
|------------------------|----|-------------|--------------------------|----------|--------------------|---------------|-------|---|---|
| Microfibre pad         |    |             |                          |          |                    |               |       |   |   |
| Microfibre pad         | 1  | 6.371-271.0 | microfibre               | 508 mm   | White              | 5<br>piece(s) |       | Excellent cleaning power. Also effectively cleans fine stone-<br>ware tiles.  |   |
| Pads                   |    |             |                          |          |                    |               |       |   |   |
| Pad                    | 2  | 6.369-468.0 | soft                     | 508 mm   | beige              | 5<br>piece(s) |       | With fine grains for perfect polishing results on floors.   |   |
|                        | 3  | 6.369-079.0 | medium-soft              | 508 mm   | red                | 5<br>piece(s) |       | Medium soft, for wet-cleaning of all surfaces and for spray cleaning.   |   |
|                        | 4  | 6.369-078.0 | medium-hard              | 508 mm   | green              | 5<br>piece(s) |       | Medium hard, for cleaning stubborn soilings and for deep<br>cleaning.   |   |
|                        | 5  | 6.369-077.0 | hard                     | 508 mm   | black              | 5<br>piece(s) |       | Hard, for persistent soilings and for deep cleaning.  |   |
| Pad SPP 51 Set 2x      | 6  | 2.639-258.0 | hard                     | 508 mm   | brown              | 2<br>piece(s) |       |   |   |
| Pad                    | 7  | 6.371-146.0 | soft                     | 500 mm   | beige /<br>natural | 5<br>piece(s) |       | With natural hair, for polishing. Effectively removes scuff marks.  |   |
| Pad drive board        |    |             |                          |          |                    |               |       |   |   |
| Pad drive board STRONG | 8  | 4.762-593.0 |                          | 479 mm   |                    | 1<br>piece(s) |       | Required for use of melamine pads, but can also be used for<br>normal pads. Pad drive board with lots of extra hooks for<br>holding pads. Extra-strong hold of the pad at the pad drive<br>board of the cleaning head D 51.           |   |
| Pad drive board        | 9  | 4.762-534.0 |                          | 479 mm   |                    | 1<br>piece(s) |       | For cleaning with pads. With quick-change coupling and<br>Centerlock.   |   |
| Diamond pad            |    |             |                          |          |                    |               |       |   |   |
| Diamond pad            | 10 | 6.371-260.0 | coarse                   | 508 mm   | White              | 5<br>piece(s) |       | For coarse cleaning/restoring. Removes small scratches, for<br>a clean, silky matt surface. For surface preparation prior to<br>using the yellow pad. Also suitable as a crystallisation pad<br>for basic crystallisation.            |   |
|                        | 11 | 6.371-261.0 | medium                   | 508 mm   | yellow             | 5<br>piece(s) |       | For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface. For surface preparation prior to using the green diamond pad. Also suitable a a crystallisation pad for high-gloss crystallisation. |   |
|                        | 12 | 6.371-240.0 | fine                     | 508 mm   | green              | 5<br>piece(s) |       | For effortless polishing of laminated floors, terrazzo and<br>natural stone surfaces. For maintenance cleaning after using<br>white and yellow pads. As a crystallisation pad for high-<br>gloss crystallisation.                     | 5 |
| Melamine pads          |    |             |                          | 1        |                    | 1             |       |   |   |
| Melamine pad           | 13 | 6.371-025.0 |                          | 508 mm   | Grey/<br>white     | 2<br>piece(s) |       | Melamine pad set with 508 mm diameter for our scrubber driers with a working width of 51 cm or with the D 100 brush head. For the effective cleaning of microporous surfaces.   |   |

 $\blacksquare$  Included in the scope of supply.  $\hfill\square$  Available accessories.



|                            |   | Order no.   |        |             |               |       |   |  |  |  |  |  |  |
|----------------------------|---|-------------|--------|-------------|---------------|-------|---|--|--|--|--|--|--|
|                            |   |             | Length | h Colour    | Quanti-<br>ty | Price | Description   |  |  |  |  |  |  |
| Squeegee, complete         |   |             |        |             |               |       |   |  |  |  |  |  |  |
| Squeegee, straight         | 1 | 4.777-401.0 | 850 mm | transparent | 1<br>piece(s) |       | Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.  |  |  |  |  |  |  |
| Squeegee, curved           | 2 | 4.777-411.0 | 850 mm | transparent | 1<br>piece(s) |       | Curved, with support rollers. Suction lips of oil-resistant,<br>transparent polyurethane. |  |  |  |  |  |  |
| Squeegees for suction bars |   |             | ÷      |             |               |       |   |  |  |  |  |  |  |
| Suction lips               | 3 | 6.273-207.0 | 890 mm | transparent | 2 -part       |       | Standard, grooved, oil-resistant.   |  |  |  |  |  |  |
|                            | 4 | 6.273-229.0 | 890 mm | transparent | 2 -part       |       | Slotted, oil-resistant, polyurethane, for sensitive floors.                               |  |  |  |  |  |  |
|                            | 5 | 6.273-290.0 | 890 mm | transparent | 2 -part       |       | Closed, oil-resistant, for structured floors.   |  |  |  |  |  |  |
|                            | 6 | 6.273-213.0 | 890 mm | blue        | 2 -part       |       | Fluted, standard, natural rubber.   |  |  |  |  |  |  |

#### KÄRCHER





|   |   | Order no.   | Length | Colour | Quanti-<br>ty | Price | Description   |  |
|---|---|-------------|--------|--------|---------------|-------|---|--|
| Miscellaneous                           |   |             |        | -1     | · · ·         |       | 1   |  |
| Add-on kit eco!zero                     | 1 | 5.388-133.0 |        |        | 1<br>piece(s) |       | With ecolzero for climate-neutral cleaning: as compensation<br>for the CO2 which is produced by using the machine, we<br>support climate protection projects worldwide.   |  |
| Filling hose                            | 2 | 6.680-124.0 | 1.5 m  |        | 1<br>piece(s) |       | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.   |  |
| Home Base accessories                   |   |             |        |        |               |       |   |  |
| Home Base adapter                       | 3 | 5.035-488.0 |        |        | 1<br>piece(s) |       | Fastener for various hooks and clips on the machine.  |  |
| Universal hook kit                      | 4 | 4.070-075.0 |        |        | 1<br>piece(s) |       | Hook and adaptor kit for attachment to the Home Base rail<br>scrubber drier by Kärcher. Ideal for space-saving storage of<br>hoses (for example, spray suction attachment kit) on the<br>machine.                         |  |
| Holder handhold grey                    | 5 | 6.980-078.0 |        |        | 1<br>piece(s) |       | Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.  |  |
| Bottle holder                           | 6 | 6.980-080.0 |        |        | 1<br>piece(s) |       | Suitable for transporting spray bottles – only in conjunction with Home Base adapter 5.035-488.0.   |  |
| Home Base Box Kit                       | 7 | 4.035-406.0 |        |        | 1<br>piece(s) |       | The Box kit provides enough space for three cleaning agent<br>bottles along with cloths, scrapers, spare rubbish bags,<br>gloves, etc.  |  |
| Home Base Kit mop holder                | 8 | 4.039-271.0 |        |        | 1<br>piece(s) |       | Mop holder allows you to carry a mop on the machine. Easy attachment, convenient use.   |  |
| Dosing aids                             |   |             |        |        |               |       |   |  |
| DS 3 Cleaning Agent Dosing Sta-<br>tion | 9 | 2.641-811.0 |        |        | 1<br>piece(s) |       | After connecting to a tap, cleaning agent can be filled into<br>the fresh water tank and diluted as required. Can also be<br>used with the filling system attachment kit. Includes back-<br>flow preventer (DIN EN 1717). |  |



|   |   | Order no.   | Length | Diameter | Quanti-<br>ty | Price | Description  |  |
|---|---|-------------|--------|----------|---------------|-------|--|--|
| Other attachment kits                         |   |             |        |          |               |       |  |  |
| Suction hose accessories                      | 1 | 4.444-015.0 | 3.25 m |          | 1<br>piece(s) |       | For vacuuming water out of corners or containers (e.g. freezers).  |  |
| Flashing beacon                               | 2 | 4.039-267.0 |        |          | 1<br>piece(s) |       | Non-glare flashing beacon increases safety when working in dark buildings.   |  |
| Bin liner holder attachment kit               | 3 | 4.039-269.0 |        |          | 1<br>piece(s) |       | Time-saving and useful accessory part: holder for conven-<br>ient attachment of a bin liner or bin bag directly to the<br>machine.     |  |
| Attachment kit for the 60 cm<br>pre-sweep mop | 4 | 4.039-270.0 |        |          | 1<br>piece(s) |       | The pre-sweep mop can sweep up coarse dirt and it pre-<br>vents coarse dirt from getting onto the brush head and into<br>the squeegee. |  |



|                                    |   | Order no. Quantity | Quantity   | ID | Width | Length | Price | Description  |  |
|------------------------------------|---|--------------------|------------|----|-------|--------|-------|--|--|
| Other                              |   |                    |            |    |       |        |       |  |  |
| Cleaning agent container, complete | 1 | 4.070-006.0        | 1 piece(s) |    |       |        |       | Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail. |  |

 $\blacksquare$  Included in the scope of supply.  $\hfill\square$  Available accessories.