



KM 100/100 R Lpg

Comfortable, modern ride-on sweeper for professional use indoors and outdoors for areas from $8,000 - 10,400 \text{ m}^2/\text{h}$.







1 Impact protection

Protects the sweeper and obstacles within the area being cleaned.

2 Large filter area with automatic filter cleaning system

- The filter is automatically cleaned when the machine is switched off - for continuous low-dust sweeping for long periods of uninterrupted use.
- Filter cleaning can also take place manually.



3 Easy to maintain

Filter and roller brush easy to remove without tools for flexible maintenance.

4 EASY Operation operating concept

- Clear and logical arrangement of all controls in the handle and field of view for ease of use.
- Standard symbols for all Kärcher sweepers.

TECHNICAL DATA AND EQUIPMENT

KARCHER



KM 100/100 R Lpg

Automatic filter cleaning systemErgonomic operating concept

Fully hydraulic, low maintenance

Technical data				
Order no.		1.280-107.0		
EAN code		4039784468597		
Drive		Four-stroke LPG engine / Honda		
Drive - Power	kW	6.7		
Max. area performance	m²/h	8000		
Max. area performance with 2 side brushes	m²/h	10400		
Working width	mm	700		
Working width with one side brush	mm	1000		
Working width with 2 side brushes	mm	1300		
Waste container	I	100		
Climbing ability	%	18		
Working speed	km/h	8		
Filter area	m²	6		
Weight	kg	340		
Dimensions (L × W × H)	mm	2006 × 1005 × 1343		
Equipment				
Polyester round filter		•	Outdoor use	•
Manual filter cleaning		•	Indoor use	•
Automatic filter cleaning		•	Elapsed time counter	•
Powerful traction drive		hydrostatic	Sweeping function can be deactivated	•
Floating main sweeper roller		•	Wheels, pneumatic-tyred	•
Suction volume regulation		•		
Coarse dirt flap		•		
Overhead sweeping principle		•		
Traction drive, forwards		•		
Traction drive, reverse		•		
Suction		•		

Included in the scope of supply.



		Order no.	Installation ex works	Battery volt- age	Battery capaci- ty	Battery type	Price	Description
Traction batteries and chargers								
Battery	1	7.654-001.0		12 V	50 Ah			Starter battery.

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

2



MISSING PICTURE: M:\print\6905578_ dd_1_100603_acc. tif



3



		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description
Round filter						 	
Round filter	1	6.414-532.0					Moisture-proof, washable single round filter for Kärcher sweepers. Filter noticeably reduces maintenance costs.
Standard roller brush							
Standard roller brush	2	6.906-375.0		700 mm	285 mm		Water-resistant universal bristles, durable, suitable for all surfaces.
Main sweeper roller, soft						 	
Main sweeper roller, soft/natural	3	6.906-533.0		700 mm	285 mm		With natural bristles, ideal for sweeping fine dust on smooth surfaces in both inside and outside areas.
Main sweeper roller, hard						 	
Main sweeper roller, hard	4	6.906-532.0		700 mm	285 mm		For the removal of stubborn dirt outdoors
Main sweeper roller, antistatic		~					·
Main roller brush, antistatic	5	6.906-534.0		700 mm	285 mm		For sweeping surfaces subject to static build up (e.g. carpets, artificial turf)

■ Included in the scope of supply. □ Available accessories.



			Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Standard side brush	1	6.905-986.0			450 mm		Standard side brush with moisture-proof universal bristles for normal soiling on all surfaces. Extremely durable.	
Side brush, hard								
Side brush, hard	2	6.906-065.0			450 mm		Removes stubborn dirt outdoors, moisture-proof, mildly abrasive	
Side brush, hard								
Side brush, steel bristles	3	6.906-022.0			450 mm		For stripping, removing moss, abrasive, for outdoor use only	
Side brush, soft								
Soft side brush	4	6.906-133.0			450 mm		Sweeps fine dust on all surfaces, moisture-proof, for indoors	

■ Included in the scope of supply. □ Available accessories.

KARCHER



		Order no.	Installation ex works		Price	Description	
Lighting							
Working lights	1	2.640-551.0	2.640-551.7			For better visibility, e.g. in underground garages or ware- houses	
Protective roof with 360° warning	beacor	n					
Protective roof for operator with 360° warning beacon	2	2.640-468.7	2.640-468.7			Necessary for operating sweeper in high-bay warehouses. Complies with IEC 60335-2-72	
Sweeping/Vacuuming							
Suction hose	3	2.641-689.0	2.641-689.7			For cleaning corners	
	4	2.641-689.7	2.641-689.7				
Warning beacon							
Flashing beacon	5	2.643-886.0	2.643-886.7			Increases safety when working	
Add-on kit revolving signal light LED KM	6	2.643-886.7	2.643-886.7				
Side brushes, left							
ABS 2. Side brush, left	7	2.851-049.0	2.851-049.7			complete, incl. standard side brush to increase area swept	
Side brush, left	8	2.851-049.7	2.851-049.7			Complete, incl. standard side brush to increase area swept	
ABS 2. Side brush, left	9	2.850-571.0	2.850-571.7			Complete, including standard side brushes for excellent cleaning results (up to serial number 11857).	
Second side brush attachment kit	10	2.850-571.7	2.850-571.7			Side brush, complete, including standard side brush for increasing area performance.	

■ Included in the scope of supply. □ Available accessories.



			Installation ex				
		Order no.	works		Price	Description	
Tyres, puncture-proof							
Puncture-proof tyres (set), solid rubber	1	2.640-431.7	2.640-431.7			Recommended for sweeping metal shavings, glass shards, etc.	

Included in the scope of supply. \Box Available accessories.