



# G 7.180

With no power outlet in sight, the petrol-powered G 7.180 pressure washer makes autonomous cleaning possible without the need for a power supply. Its excellent performance data is impressive, too.





1 Foldable frame

The foldable frame makes the G 7.180 light and easy to store.





3 Removable detergent tank

The removable detergent tank makes filling up with detergent easy.The tank can be cleaned easily.

#### 2 New accessories

The new and improved accessories ensure even more powerful and easy cleaning.

#### 4 Extra-large wheels

The extra-large wheels make it suitable for use in challenging terrain, too.

# **TECHNICAL DATA AND EQUIPMENT**

#### KARCHER



#### G 7.180

| Foldable frame  |
|-----------------|
| Gun holder      |
| Automatic choke |

| Technical data             |           |                     |
|----------------------------|-----------|---------------------|
|                            |           |                     |
| Order no.                  |           | 1.107-390.0         |
| EAN code                   |           | 4054278527208       |
| Pressure                   | bar / MPa | 18 - 180 / 1.8 - 18 |
| Flow rate                  | l/h       | 590                 |
| Max. inlet temperature     | °C        | max. 40             |
| Power                      | hp        | max. 4.7            |
| Motor type                 |           | Petrol              |
| Weight without accessories | kg        | 28                  |
| Dimensions (L × W × H)     | mm        | 611 × 518 × 919     |
|                            |           |                     |
| Equipment                  |           |                     |
| High-pressure gun          |           | G 180 Q             |

| High-pressure gun                   |   | G 180 Q |
|-------------------------------------|---|---------|
| Vario Power Jet                     |   | 1       |
| Dirt Blaster                        |   |         |
| High-pressure hose                  | m | 10      |
| Detergent application via           |   | Tank    |
| In shaded in the second of summers. |   |         |

Included in the scope of supply.

|   |    |                            | 5     |  |
|---|----|----------------------------|-------|--|
| 8 9   |    | 10                         |       |  |
|   |    | Order no.                  | Price | Description  |
| Spray lances  |    |                            |       |  |
| VP 180 vario power jet for K 7<br>DB 180 dirt blaster for K 7 | 1  | 2.642-726.0<br>2.642-729.0 |       | Vario power spray lance for pressure washers in class K 7.<br>Continuously adjustable from low-pressure detergent jet to<br>high-pressure jet, simply by turning the spray lance.<br>Dirt blaster with powerful top rotary nozzle for Kårcher<br>pressure washers in class K 7. For particularly stubborn dirt   |
| Splash guard  | 3  | 2.642-706.0                |       | like that on mossy or weathered surfaces.<br>Transparent splash guard for class K 2 to K 7 Kärcher pres-<br>sure washers protects the operator and surrounding area<br>from cross worder (dea) for closing accorder, and educe   |
| Angled spray lance  | 4  | 2.638-817.0                |       | from spray water. Ideal for cleaning corners and edges.<br>Extra-long angled spray lance (about 1 m) for easy cleaning<br>of difficult to reach areas, e.g. roof gutters or vehicle under-<br>bodies.  |
| 1-step lance extension  | 5  | 2.643-240.0                |       | Extends spray lance by 0.4 m. For effective cleaning of  |
| VP 180 S vario power jet short<br>360° for K 2-K 7            | 6  | 2.643-254.0                |       | difficult to reach areas. Suitable for all Kårcher accessories.       VP         VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.       Image: Comparison of the state of the |
| Telescopic spray lance  | 7  | 2.642-347.0                |       | Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun.   |
| Trigger guns  |    |                            |       | Weight: ca. 2 kg   |
| G 180 Q Quick Connect trigger gun                             | 8  | 2.642-889.0                |       | The new G 180 Q spray gun with Quick Connect is 13 cm<br>longer and is now even more convenient to use and more<br>ergonomic when cleaning with Kårcher pressure washers.  |
| Surface cleaners<br>T 7 Plus T-Racer surface cleaner          | 9  | 2.644-074.0                |       | Power nozzle for ultimate cleaning power, even in corners<br>and along edges: The T 7 Plus T-Racer surface cleaner with<br>rinse function - for effective and splash-free cleaning of<br>large areas.  |
| T 5 T-Racer surface cleaner                                   | 10 | 2.644-084.0                |       | Thorough and splash-free cleaning over large areas: The T 5<br>T-Racer surface cleaner. The adjustable nozzle position<br>means the surface cleaner can be used to clean hard and<br>delicate surfaces alike.  |
| PS 30 power scrubber surface<br>cleaner                       | 11 | 2.644-123.0                |       | The PS 30 power scrubber, with its three integrated<br>high-pressure nozzles, powerfully removes stubborn dirt<br>from various surfaces, while saving time. Ideal for stairs and [<br>edges. Includes integrated squeegee blade to remove the<br>dirty water.  |
| Brushes<br>WB 150 power brush                                 | 12 | 2.643-237.0                |       | WB 150 power brush for splash-free cleaning of sensitive   |
|   | 12 | 2.043 237.0                |       | surfaces. The effective combination of high pressure and<br>manual brush pressure saves energy, water and up to 30%<br>time.   |
| WB 120 rotating wash brush                                    | 13 | 2.644-060.0                |       | Rotating wash brush with interchangeable attachment for<br>cleaning all smooth surfaces such as paint, glass or plastic.<br>Quick and easy attachment changing thanks to the integrat-<br>ed release lever.  |
| WB 120 rotating wash brush Car & Bike                         |    | 2.644-129.0                |       | Gently cleans cars and motorbikes: The rotating wash brush<br>with innovative soft microfibre interchangeable attachment<br>Car & Bike. Machine washable at 60 °C.   |

■ Included in the scope of supply. □ Available accessories.

| 22   |             |                                |        | 19<br>26 | $ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array} $   |
|--|-------------|--------------------------------|--------|----------|---|
|  |             | Order no.                      |        | Price    | Description   |
| WB 60 soft surface wash brush  | 15          | 2.643-233.0                    |        |          | Soft flat brush for cleaning larger areas such as car, caravan,<br>boat, conservatory or roller shutters. Good area perfor-   |
| Wheel washing brush  | 16          | 2.643-234.0                    |        |          | mance with working width of 248 mm.<br>Wheel washing brush for effective cleaning also in difficult<br>to reach areas. Uniform 360° water distribution for a perfect<br>cleaning result.  |
| Garden hose adapter  | 17          | 2.640-732.0                    |        |          | Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling   |
| Wash brush   | 18          | 6.903-276.0                    |        |          | system.<br>Wash brush with soft bristles for cleaning sensitive areas<br>and areas which are difficult to access in the outside area.   |
| High-pressure replacement hose: V  | Vith an     | ti-twist system and Quick Conn | system |          | Suitable for all Kärcher K 2 to K 7 pressure washers.   |
| H 10 Q Flex PremiumFlex anti<br>twist  |             | 2.643-585.0                    |        |          | Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges. |
| High-pressure replacement hose: s<br>H 9 Q high-pressure hose Quick<br>Connect | ystem<br>20 | i i                            | em     |          | 9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect guick coupling. 180 bar, 60°C.   |
| High-Pressure replacement hose k   | it syste    | em from 1992                   |        |          |   |
| Extension hose adapter kit   |             | 2.643-037.0                    |        |          | Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.   |
| High-pressure extension hose: Syst<br>XH 10 Q Quick Connect extension<br>hose  | 1           | 2.641-710.0                    |        |          | High-pressure hose extension for greater flexibility. 10-m,<br>robust DN 8 quality hose for excellent durability. For K 3-K   |
| XH 6 Q extension hose Quick<br>Connect   | 23          | 2.641-709.0                    |        |          | High-pressure extension hose for greater flexibility. 6 m<br>robust DN 8 quality hose for durability. For K 2 to K 7 series<br>from 2008 with Quick Connect adapter. Connect between<br>spray gun and high-pressure hose.                                       |
| Pipe cleaning  |             |                                |        |          |   |
| PC 20 roof gutter and pipe clean-<br>ing kit                                   | 24          | 2.642-240.0                    |        |          | The gutter and pipe cleaning kit works all by itself – with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.   |
| PC 15 pipe cleaning kit  | 25          | 2.637-767.0                    |        |          | Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.   |
| PC 7.5 pipe cleaning kit   | 26          | 2.637-729.0                    |        |          | Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.  |
| <b>Foam jet</b><br>FJ 6 foam jet   | 27          | 2.643-147.0                    |        |          | FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra<br>foam cleaner). For cars, motorcycles etc. and for applying<br>cleaning products to stone and wood surfaces and façades.   |
| FJ 10 C Connect 'n' Clean foam jet<br>+ 3-in-1 Ultra Foam Cleaner              | 28          | 2.643-143.0                    |        |          | Ultra foam cleaner + quick-change system FJ 10 C Connect<br>'n' Clean foam nozzle. Easy change between different deter-<br>gents with just a simple click.  |
| FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1                     | 29          | 2.643-144.0                    |        |          | Car shampoo + quick-change system FJ 10 C Connect 'n'<br>Clean foam nozzle. Easy change between different deter-<br>gents with just a simple click.   |

■ Included in the scope of supply. □ Available accessories.



|                           |    | Order no.   |  |  | Price | Description   |
|---------------------------|----|-------------|--|--|-------|---|
| Miscellaneous             |    |             |  |  |       |   |
| SH 5 suction hose         | 30 | 2.643-100.0 |  |  |       | Environmentally friendly 5-metre long suction hose for<br>sucking up water from alternative sources such as water<br>butts or water containers.   |
| Sand and wet-blasting kit | 31 | 2.638-792.0 |  |  |       | Sand and wet-blasting kit for removing rust, paint and stub-<br>born dirt using Kärcher abrasive.   |
| Vario joint               | 32 | 2.640-733.0 |  |  |       | Vario joint, rotates 180° for cleaning difficult to reach areas.<br>For connection between gun and accessory or extension<br>lance and accessory. |
| Water filter              | 33 | 4.730-059.0 |  |  |       | Water filter protects pressure washer pumps against dirt particles from dirty water.  |

■ Included in the scope of supply. □ Available accessories.

#### KARCHER

|  |    |             |    | 5-6   |   |
|--|----|-------------|----|-------|---|
| 9  |    | 11-12       | 13 |       |   |
|  |    | Order no.   |    | Price | Description   |
| Hose storage and hose trolley                        |    | · · · · ·   |    |       | · · · · · · · · · · · · · · · · · · ·   |
| Premium Hose Reel HR 7.315 Kit<br>5/8"               | 1  | 2.645-165.0 |    |       | Watering station with detachable hose reel, storage option<br>for nozzles and sprinklers, large storage box and fixing<br>option for spray lances. Fully equipped.  |
| Hose Trolley HT 3.420 Kit 5/8"                       | 2  | 2.645-167.0 |    |       | Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.  |
| Hoses  |    |             |    |       |   |
| Hose set for pressure washers                        | 3  | 2.645-156.0 |    |       | Hose set for high-pressure cleaning and garden watering.<br>With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, univer-<br>sal hose connector and universal connector with Aqua Stop.  |
| Water supply hose set                                | 4  | 2.645-258.0 |    |       | Hose set for water supply (pressure washer, garden water-<br>ing). With 10m PrimoFlex* hose (½"), hose connector with<br>and without Aqua Stop, universal connection for taps with-<br>out thread.                                      |
| PrimoFlex® hose 1/2" - 20 m                          | 5  | 2.645-138.0 |    |       | The robust PrimoFlex <sup><math>*</math></sup> (1/2") garden hose is a 20m long,<br>temperature-resistant (from -20 to 65°C) and physiologically<br>safe water hose with pressure-proof coating. Bursting pres-<br>sure: 24 bar.        |
| PrimoFlex® hose 3/4" - 25 m                          | 6  | 2.645-142.0 |    |       | PrimoFlex <sup>®</sup> quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C. |
| Hose Performance Plus 1/2" -20m                      | 7  | 2.645-318.0 |    |       |   |
| Performance Premium hose, 1/2"<br>-20 m              | 8  | 2.645-324.0 |    |       |   |
| Hose connection systems Universal hose coupling Plus | 9  | 2.645-193.0 |    |       | Universal hose coupling plus with soft plastic recessed grips $\Box$  |
| Universal hose coupling Plus with<br>Aqua Stop       | 10 | 2.645-194.0 |    |       | for comfortable handling. Compatible with all click systems.  |
| C2/4 tag adapted with C4/2 and up                    |    | 4           |    |       | checoystems.  |
| G3/4 tap adaptor with G1/2 reduc-<br>er              | 11 | 2.645-006.0 |    |       |   |
| er<br>G1 tap adaptor with G3/4 reducer               | 11 |             |    |       |   |

■ Included in the scope of supply. □ Available accessories.

G 7.180, 1.107-390.0, 2020-08-09