



K 7 Full Control Plus

The Kärcher K 7 Full Control Plus pressure washer incl. spray gun with buttons for pressure level regulation and detergent dosing, plus an LCD display for pressure control.













1 Power gun Full Control Plus

- With buttons for pressure regulation and detergent dosing.
- The LCD display on the Full Control Plus Power trigger gun enables users to easily check the setting they have applied.

2 3-in-1 Multi Jet spray lance

Easily switch between flat spray, rotary and detergent nozzle by turning the spray lance.

3 Plug 'n' Clean

- Quick, easy and convenient application of detergents with the pressure washer.
- Kärcher detergents increase efficiency and help protect and care for the surface being cleaned.

4 Telescopic handle

- Made of high-quality aluminium.
- For a convenient pulling height.

TECHNICAL DATA AND EQUIPMENT





K 7 Full Control Plus

- Full Control Plus Power trigger gun with +/- buttons and LCD display for pressure control and detergent dosing
- Maximum stability thanks to low centre of gravity, hose guide and larger base
- Highly efficient water-cooled motor

Technical data		
Order no.		1.317-030.0
EAN code		4054278138381
Pressure	bar / MPa	20 - max. 180 / 2 - max. 18
Flow rate	I/h	max. 600
Max. inlet temperature	°C	max. 60
Connection load	kW	3
Weight without accessories	kg	17.58
Dimensions (L × W × H)	mm	463 × 330 × 667
Current type	V / Hz	230 / 50

Equipment				
High-pressure gun		G 180 Q Full Control Plus	Water-cooled motor	
Vario Power Jet		-	Soft bag	
3-in-1 Multi Jet				
Dirt Blaster		-		
High-pressure hose	m	10		
Quick Connect on the side of the devi	ce			
Detergent application via		Plug 'n' Clean system		
Water suction				
Integrated water filter				
A3/4" garden hose connector adapter	•			
Telescopic handle				
I to alread and the three courses of accounts.				

■ Included in the scope of supply.

K 7 FULL CONTROL PLUS 1.317-030.0































		Order no.		Price	Description	
Spray lances						
MJ 180 3-in-1 multi jet Full Control for K 7 FC Plus and K 7 Premium FC Plus	1	2.643-907.0			The Kärcher 3-in-1 multi jet spray lance is suitable for the K 7 Full Control Plus and K 7 Premium Full Control Plus high-pressure cleaners (from 2017) with G 180 Q Full Control Plus power gun.	•
Splash guard	2	2.642-706.0			Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	3	2.638-817.0			Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	4	2.643-240.0			Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	5	2.643-254.0			VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Telescopic spray lance	6	2.642-347.0			Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	. [
Trigger guns						
G 180 Q Full Control Plus Power Gun	7	2.643-992.0			With LCD display and control keys for pressure and detergents: G 180 Q Full Control Plus high-pressure gun for all Kärcher K 5 Premium, K 7 and K 7 Premium Full Control devices from 2017 or newer.	
Surface cleaners		-	<u> </u>	 	1	
T 7 Plus T-Racer surface cleaner	8	2.644-074.0			Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.	
T 5 T-Racer surface cleaner	9	2.644-084.0			Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	
PS 30 power scrubber surface cleaner	10	2.644-123.0			The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	
Brushes	ı	1				
WB 150 power brush	11	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	12	2.644-060.0			Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
WB 120 rotating wash brush Car & Bike	13	2.644-129.0			Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	Г
WB 60 soft surface wash brush	14	2.643-233.0			Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	

K 7 FULL CONTROL PLUS 1.317-030.0































		Order no.	Price	Description
Wheel washing brush	15	2.643-234.0		Wheel washing brush for effective cleaning also in difficult
				to reach areas. Uniform 360° water distribution for a perfect
				cleaning result.
Garden hose adapter	16	2.640-732.0		Adapter for garden hose connection – suitable for attaching
				all Kärcher brushes to garden hoses with the quick-coupling
Wash brush	17	6.903-276.0		system. Wash brush with soft bristles for cleaning sensitive areas
Mq2II DI U3II	1/	0.903-270.0		and areas which are difficult to access in the outside area.
				Suitable for all Kärcher K 2 to K 7 pressure washers.
High-pressure replacement hose: s	ystem	from 2009 with 0		
H 9 Q high-pressure hose Quick	1	2.641-721.0		9 m high-pressure replacement hose for K 2 to K 7 pressure
Connect				washers manufactured since 2009, on which the hose is
				attached to the spray gun and device with a Quick Connect
				quick coupling. 180 bar, 60°C.
High-Pressure replacement hose k	it syste	m from 1992		
Extension hose adapter kit	19	2.643-037.0		Two-part adapter set for connecting an extension hose with
				screw thread to a pressure washer with a Quick Connect
High progress systematics because the	have for	y devisee with Ovi		system. Not for hose reel machines.
High-pressure extension hose: Sys	1	1		- Lucius - L
XH 10 Q Quick Connect extension hose	20	2.641-710.0		High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K
nose				7 devices with Quick Connect adapter.
XH 6 Q extension hose Quick	21	2.641-709.0		High-pressure extension hose for greater flexibility. 6 m
Connect		2.041 703.0		robust DN 8 quality bose for durability. For K 2 to K 7 series
				from 2008 with Quick Connect adapter. Connect between
				spray gun and high-pressure hose.
Pipe cleaning				
PC 20 roof gutter and pipe clean-	22	2.642-240.0		The gutter and pipe cleaning kit works all by itself - with
ing kit				high pressure. It easily cleans outflows, pipe blockages and
DC 15 pine elegating bit	22	2.627.767.0		gutters. Hose length: 20m.
PC 15 pipe cleaning kit	23	2.637-767.0		Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.
PC 7.5 pipe cleaning kit	24	2.637-729.0		Pine cleaning kit with 7.5 m hose for clearing blockages in
7 c 7.5 pipe cicuming Mc		2.037 723.0		pipes, drains and downpipes.
Foam jet				, , , , , , , , , , , , , , , , , , , ,
FJ 6 foam jet	25	2.643-147.0		FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra
				foam cleaner). For cars, motorcycles etc. and for applying
				cleaning products to stone and wood surfaces and façades.
FJ 10 C Connect 'n' Clean foam jet	26	2.643-143.0		Ultra foam cleaner + quick-change system FJ 10 C Connect
+ 3-in-1 Ultra Foam Cleaner				'n' Clean foam nozzle. Easy change between different deter-
EL 40 C feers int Consent let Class	27	26424440		gents with just a simple click.
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	27	2.643-144.0		Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter-
With Car Shampoo 3-III-1				gents with just a simple click.
FJ 10 C foam jet Connect 'n' Clean	28	2.643-145.0		Stone cleaner + quick-change system FJ 10 C Connect 'n'
with stone cleaner 3-in-1	20	2.0 13 1 10.0		Clean foam nozzle. Easy change between different deter-
				gents with just a simple click.
Miscellaneous				
SH 5 suction hose	29	2.643-100.0		Environmentally friendly 5-metre long suction hose for
				sucking up water from alternative sources such as water
				butts or water containers.
Sand and wet-blasting kit	30	2.638-792.0		Sand and wet-blasting kit for removing rust, paint and stub-
				born dirt using Kärcher abrasive.

K 7 FULL CONTROL PLUS 1.317-030.0









		Order no.	F	Price	Description	
Vario joint	31	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	. [
Water filter	32	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	Г
O-ring set	33	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.

K 7 FULL CONTROL PLUS 1.317-030.0

























[
		Order no.			Price	Description
Hose storage and hose trolley						
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0				Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0				Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.
Hoses						
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex* hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps without thread.
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex* (1/2") garden hose is a 20 m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex* quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.
Hose Performance Plus 1/2" -20m	8	2.645-318.0				
Hose Performance Plus 3/4" -25m	9	2.645-322.0				
Performance Premium hose, 1/2" -20 m	10	2.645-324.0				
Hose connection systems		1	,	1 1	1	1
Universal hose coupling Plus	11	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.
Universal Hose Connector with Aqua Stop	13	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.
Universal Hose Connector	14	2.645-191.0				Universal hose connector in ergonomic design for comfortable handling.

 $[\]blacksquare$ Included in the scope of supply. \qed Available accessories.